

From: DEagan@moody-s.com
Sent: 3/7/2012 11:57:23 AM

To: "Kelley Chase/R3/USEPA/US@EPA" <Chase.Kelley@epamail.epa.gov>; "sbrokenshi@pa.gov sbrokenshi@pa.gov" <"sbrokenshi@pa.gov" sbrokenshi@pa.gov>
CC: "John Smelko" <john.smelko@cabotog.com>; "Tim Eriksen" <TEriksen@moody-s.com>
Subject: RE: Additional sample 3/8/12

Thanks Kelley. We will plan accordingly.

Denis P. Eagan
Senior Geologic Technician

cid:image001.jpg@01CBD9B6.032FCA50

Moody & Associates, Inc.
685 Broad Street Extension
Suite 1
Waverly, NY 14892

(607) 565-8800 Office
(570) 877-9126 Cell
(607) 565-8805 Fax
(877) 602-3120 Toll Free
www.moody-s.com

From: Kelley Chase [mailto:Chase.Kelley@epamail.epa.gov]
Sent: Wednesday, March 07, 2012 11:13 AM
To: Denis Eagan; sbrokenshi@pa.gov
Cc: John Smelko
Subject: Fw: Additional sample 3/8/12

Denis and Stephen -

We received limited information from the homeowners and were not able to preform a pre-sampling check of the home. Based on the initial information received, we are planning for both a wellhead and tap sample. However, as you know, this could change based on what we find in the field.

Thanks - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 03/07/2012 11:09 AM -----

From: Kelley Chase/R3/USEPA/US
To: "Denis Eagan" <DEagan@moody-s.com>
Cc: "John Smelko" <john.smelko@cabotog.com>
Date: 03/06/2012 08:42 PM
Subject: Re: Additional sample 3/8/12


Just saw your e-mail - will check tomorrow and get back to you.

Kelley A. Chase
EPA Region 3
On-Scene Coordinator
215-814-3124 office
267-273-8859 cell

----- Original Message -----

From: Denis Eagan [DEagan@moody-s.com]
Sent: 03/06/2012 04:57 PM GMT
To: Kelley Chase
Cc: John Smelko <john.smelko@cabotog.com>
Subject: Additional sample 3/8/12

Kelley,

For the sampling at  on Thursday, do you know if we are collecting both a wellhead and a kitchen faucet sample?

Thanks.

Denis P. Eagan
Senior Geologic Technician
Moody & Associates
685 Broad St Extension
Suite 1
Waverly, NY 14892
Office: 607-565-8800
Cell: 570-877-9126
Fax: 607-565-8805
Deagan@moody-s.com

Sent from my iPhone

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****